Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	174	324/402.ccls.	USPAT	OR	OFF	2005/04/19 11:36
S6	0	(sensor near3 metallization) same (ground near3 metallization)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/19 09:38
S7	115	(sensor near3 metallization)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/19 09:38
S8	22	(sensor near3 metalization)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/19 09:38
S9	2	(S7 or S8) and (ground near3 (metalization metallization))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/19 09:50
S10	1	"6396277".pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/09/23 15:21
S11	13	("3502884" "3798541" "3959725" "4490677" "5004984" "5106293" "5111790" "5208541" "5376886" "5391100" "5419300" "5933317").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/19 11:11
S12	. 2	("6850069" "6850070").pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/19 11:38
S13	3	S11 and (move moving movable mov\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/19 11:32
S14	1	S11 and (displacement displace displacing slide sliding)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/19 11:32
S15	80	324/402.ccls. and (move moving movable mov\$3 displacement displace displacing slide sliding)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/19 11:37
S16	20	324/402.ccls. and ((move moving movable mov\$3 displacement displace displacing slide sliding) with (substrat\$3 mount\$3 sensor\$1))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/20 10:19

			 -			
S17	2272	(control adj system) with (diagnos\$3)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/19 13:49
S18	12	S17 and (work near2 function)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/19 13:49
S19	29	S17 and (work near2 machine)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/19 13:50
S20	160	324/378-401.ccls. and ((move moving movable mov\$3 displacement displace displacing slide sliding) with (substrat\$3 mount\$3 sensor\$1))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/20 11:38
S21	14	324/378-401.ccls. and (((move moving movable mov\$3 displacement displace displacing slide sliding) with (substrat\$3 mount\$3 sensor\$1)) with coil)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/20 10:39
S22	41	324/378-401.ccls. and (((move moving movable mov\$3 displacement displace displacing slide sliding) with (substrat\$3 mount\$3 sensor\$1)) same coil)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/21 14:24
S23	27	S22 not S21	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/20 11:28
S24	4	(ignition adj coil) with ((move moving movable mov\$3 displace displacement displacing) near4 sensor)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/20 11:31
S25	63	324/378-401.ccls. and ((move moving movable mov\$3 displacement displace displacing slide sliding) near4 (substrat\$3 mount\$3 sensor\$1))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/20 11:39
S26	61	324/378-401.ccls. and ((move moving movable mov\$3 slide sliding) near4 (substrat\$3 mount\$3 sensor\$1))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/20 11:46
S28	14	324/378-401.ccls. and ((move moving movable mov\$3 slide sliding) near4 (substrat\$3 sensor\$1))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/20 11:47
529	9	("5493496").URPN.	USPAT	OR	OFF	2005/04/20 12:10

S30	6	S29 and (move moving movable mov\$3 displacement displace displacing slide sliding)	USPAT	OR	OFF	2005/04/20 13:37
S31	24	("3882835" "4379263" "4543936" "4627398" "4627407" "4711227" "4742306" "4795979" "4847563" "4889094" "4899579" "4937527" "4941445" "5045796" "5065729" "5067462" "5088465" "5090394" "5109828" "5115793" "5125386" "5174267" "5186144" "Re34183").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/20 13:17
S32	3	("5461316" "4758791" "6359439").pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/20 13:17
S33	1	"5493496".pn.	USPAT	OR	OFF	2005/04/20 13:43
S35	12	324/402.ccls. and (capacitive near3 (sensor adaptor))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/20 14:04
S36	1	123/634-636.ccls. and (capacitive adj (sensor adaptor))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/20 14:07
S37	0	123/634-636.ccls. and ((move moving movable mov\$3 displace displacement displacing) near4 sensor)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/20 14:08
S38	11	123/634-636.ccls. and (coil near4 sensor)	US-PGPUB; USPAT; USOCR; EPO	OR _.	OFF	2005/04/20 15:30
S39	. 2	324/686-688.ccls. and (ignition near3 coil)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/20 15:41
S40	1	324/378-402.ccls. and ((substrate\$1 sensor\$1) near3 ((multiple two three plurality some different) adj2 position\$1))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/20 15:43
S41	2	324/378-402.ccls. and ((substrate\$1 sensor\$1) with ((multiple two three plurality some different) adj2 position\$1))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/20 15:59
S42	30	(ignition near2 coil) and ((move moving movable mov\$3 slide sliding) with (substrat\$3 mount\$3 sensor\$1))	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 15:44

	т			r		
S43	1	"6396277".pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/20 16:57
S44	0	324/378-402.ccls. and (boost near2 plug)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/20 17:08
S45	0	123/634-636.ccls. and (boost near2 plug)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/20 16:55
S46	1	(ignition near2 coil) and (boost near2 plug)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/20 16:01
S47	3	"123"/\$.ccls. and (boost near2 plug)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/20 16:55
S48	1	"6396277".pn. and (spark near3 plug)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/20 16:57
S49	1	324/378-402.ccls. and ((plug) with (increas\$3 near3 strength))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/20 17:10
S50	38	324/378-402.ccls. and (firing near2 line)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/20 17:10
S51	38	324/378-402.ccls. and ((firing near2 line) same increas\$3 boost\$3)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/20 17:12
S52	4	324/378-402.ccls. and ((firing near2 line) same (increas\$3 boost\$3))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/21 08:14
S53	1	"6396277".pn.	USPAT	OR	OFF	2005/04/21 08:14
S54	72	324/378-402.ccls. and ((increas\$3 boost\$3) near3 signal)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/21 08:24
S55	11	324/378-402.ccls. and ((increas\$3 boost\$3) near3 signal) and kv	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/21 13:51

	<u>-</u>			<u> </u>	• •	
S56	31	("4291383" "4303977" "4424709" "4558280" "4684896" "4886029" "4915086" "4965513" "4969439" "5041976" "5155437" "5226394" "5247919" "5322045" "5327867" "5334938" "5365905" "5387870" "5388560" "5399972" "5415148" "5493227" "5513618" "5561239" "5584275" "5606118" "5821754" "6006156" "6085144").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/21 08:30
S57	4	("6408242").URPN.	USPAT	OR	OFF	2005/04/21 08:33
S58	13	("3502884" "3798541" "3959725" "4490677" "5004984" "5106293" "5111790" "5208541" "5376886" "5391100" "5419300" "5933317").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/21 08:41
S59	2	("5004984" "5444376").pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/21 08:57
S60	2	(ignition near2 coil) with (firing near2 line)	US-PGPUB; USPAT; USOCR	OR.	OFF	2005/04/21 10:35
S61	1	"5493496".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/21 10:35
S62	24	"123"/\$.ccls. and ((increas\$3 boost\$3) near3 signal) and kv	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/21 13:54
S63	1	"5004984".pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/21 13:55
S64	9	("5004984").URPN.	USPAT	OR	OFF	2005/04/21 13:56
S65	8	324/378-401.ccls. and ignition and (peak near2 firing adj2 line)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/21 14:39
S66	4	324/378-401.ccls. and ((increas\$3 boost\$3)) same (plug with reverse)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/21 17:08

S67	2	("5 444 376" "5004984").pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/21 17:11
S68	1	"5419300".pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/21 17:11
S69	. 1	"6396277".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/22 13:40
S70	86427	"327"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/22 13:42
S71	176	"327"/37.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/22 13:42
S72	133	"327"/37.ccls.	USPAT	OR	OFF	2005/04/22 15:05
S73	1	"6535567".pn.	USPAT	OR	OFF	2005/04/22 15:56
S74	0	("20050074998" "20040221995" "20050001738" "20050046590" "20050074988")	USPAT	OR	OFF	2005/04/22 15:57
S75	5	("20050074998" "20040221995" "20050001738" "20050046590" "20050074988")	US-PGPUB; USPAT	OR	OFF	2005/04/22 16:00
S76	. 16	"6844498" "6670880"	US-PGPUB; USPAT	OR	OFF	2005/04/22 16:00
S77	2	("68 444 98" "6670880").pn.	US-PGPUB; USPAT	OR	OFF	2005/04/22 17:08
S78	14	324/71.4.ccls. and (integrated adj circuit)	US-PGPUB; USPAT	OR	OFF	2005/04/22 17:09
S79	4	S78 and vacuum	US-PGPUB; USPAT	OR	OFF	2005/04/22 17:09
S80	. 1	"5493496".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/23 11:18
S81	24	("3882835" "4379263" "4543936" "4627398" "4627407" "4711227" "4742306" "4795979" "4847563" "4889094" "4899579" "4937527" "4941445" "5045796" "5065729" "5067462" "5088465" "5090394" "5109828" "5115793" "5125386" "5174267" "5186144" "Re34183").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/23 12:02

S82	12	324/378-401.ccls. and	US-PGPUB;	OR	OFF	2005/09/23 12:56
		((displacement displace displacing move moving movable) near3 (sens\$3))	USPAT; USOCR			
S83	20	324/378-401.ccls. and ((displacement displace displacing move moving movable) near5 (sens\$3))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/23 13:52
S84	6	324/402.ccls. and ((displacement displace displacing move moving movable) near5 (sens\$3))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/23 13:53
S85	8	("4758791").URPN.	USPAT	OR	OFF	2005/09/23 14:15
S86	0	((ignition near2 coil) with (mount\$3)) same ((displac\$3 moves moving movable) near3 sensor)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/23 14:17
S87	5	((ignition near2 coil) with (mount\$3)) and ((displac\$3 moves moving movable) near3 sensor)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/23 14:20
S88	0	324/402.ccls. and (sensor near3 metallization)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/23 14:27
S89	0	324/402.ccls. and ((sensor) near3 (releas\$3 near3 mount43))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/23 14:28
S90	217	324/402.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/23 14:28
S91	84	324/402.ccls. and ((sensor))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/23 14:29

S92	0	324/402.ccls. and ((sensor) same (releas\$3 near3 mount\$3))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/23 14:30
S93.	30	324/402.ccls. and ((sensor) same (mount\$3))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/23 15:28
S94	2	(ignition near3 coil).clm. and ((sensor scanner) near3 (move moves moving movable displac\$5 slid\$4)).clm.	US-PGPUB	OR	OFF	2005/09/23 15:11
S95	0	(ignition near3 coil).clm. and ((substrate) near3 (move moves moving movable displac\$5 slid\$4)).clm.	US-PGPUB	OR	OFF	2005/09/23 15:11
S96	2	(ignition near3 coil).clm. and ((sensor scanner) near5 (move moves moving movable displac\$5 slid\$4)).clm.	US-PGPUB	OR	OFF	2005/09/23 15:12
S97	0	(ignition near3 coil).clm. and (substrate with metallization).clm.	US-PGPUB	OR	OFF	2005/09/23 15:18
S98	0	(ignition near3 coil).clm. and (sensor with metallization).clm.	US-PGPUB	OR	OFF	2005/09/23 15:18
S99	1	"6396277".pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/09/23 15:21
S10 0	8	324/380.ccls. and ((sensor) same (mount\$3))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/23 15:29
S10 1	2	"4758791".pn.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/23 15:29